


Stand alone gel documentation



New break through stand alone gel documentation system is a research grade low cost maintenance free system in the market, applicable wide range accessories for molecular biology application.

KETA S is a research grade cost effective gel documentation system ideally for routine and large throughput molecular biology laboratory. This unit equipped with 16bit B/W CCD 5.0M Pixels camera, manual adjust lens, superior performance and convenient user interface, small footprint darkroom, 10.1" touch LCD display, in-build SBC, MS windows OS, USB2.0/USB3.0 port, multiple languages, UV radiation safety interlock, 24V power supply in build as standard for BW-20 blue and white light transilluminator.

Dual U7 LED Epi-White light, 302nm UV transilluminator for SDS-PAGE and agarose gel stained by EtBr, SYBR Green, SYPRO Orange, SYBR Gold, Coomassie Brilliant Blue, and silver stain by changing emission filter, optional observation window for real time electrophoresis check and gel excision.


Auto-exposure as standard, snap shot with 40ms to 10s for one shot, programming capture with up to 10 steps exposure time over than 1 hour, pause at anytime during chemiluminescent detection. Band Tool software package included perform image rotate, deconvolution / sharpen, interpolate, background subtraction, and Super Resolution. Optional Dolphin 1D or EZ Chemi software.



Light source switch and safety switch




10.1" touch screen control panel




Dual LED Epi-white light




Upgradeable MC100 RGB/W or MC100-1 GBW/UV Epi-light source



UV radiation block cover for gel excision



Optional three level sample stage



Upgradeable EZ Chemi package



Slide-out drawer frame

Applications

- Education, university, academic and research institute
- Analytical chemistry, molecular laboratory
- Food industrial and inspection laboratory
- Drug discovery, Biotechnology company
- Proteomics, genomics core facility
- Enzyme reaction, immunology

Features

- Powerful Magic 1D software upgradable
- EZ Chemi upgrade package available
- High sensitivity low cost in the market
- Flexible upgrade for all application
- No service and operation training
- Gel excision side hole option
- Multi language support

Specification

CCD depth	B/W 16 bit
Chip size	2/3"
Cooling	Air, R-T
Resolution	5.0M Pixels
Operating temperature	0 - 60°C
Lens	f1.4, 11.5 - 69mm (6X) manual adjustment
Filter	Close-up 2X & H-T Amber filter
Communication	USB 2.0, USB 3.0, Wifi, Ethernet
Epi-Illumination	Over head dual White Light LED
UV Transilluminator	302nm, 6 x 8 Watt tubes, 25 x 25cm as standard
Control & display	10.1" 16:9 visual angle adjustable touch screen
Image file format	JPG, BMP, JPEG, DFN, TIFF, PCX, GIF, TGA
Image storage	USB memory stick / SSD 8G standard
Physical dimensions	430 x 450 x 550mm, W x D x H
Power	100-240V, 50-60Hz

The spec is subject to change without prior notice.

Ordering Information

Catalog No.	Description
1147026	KETA S Image includes 5.0M pixels R-T camera, manual adjust lens, dual LED Epi-White light, in-built SBC, 302nm MD-25K UV transilluminator, 10.1" touch LCD, Band Tool software, 100-240V, 50 - 60Hz
1147029	KETA S / EZ Chemi Image includes 5.0M pixels Peltier 10°C below ambient cooled CCD camera, manual adjust lens, dual LED Epi-White light, in-built SBC, 302nm MD-25K UV transilluminator, 10.1" touch LCD, EZ Chemi software, three level sample stage 100-240V, 50 - 60Hz
Option	
1144012	Dolphin 1D instead of standard Band Tool software
1146001	UV / White light converter plate
1146002	UV radiation block cover for gel excision
1146003	Digital thermal printer
1146021	BW-20 B&W light transilluminator, 20 x 20cm with power adaptor and orange cover, 100-240V, 50-60Hz
1155006	MC 100-1 GBW / 365nm UV LED light source in lieu of MC 100, factory install
1155007	MC 100 RGB / white light LED light source in lieu of U7 Epi LED, factory install
8100027	High transparent amber filter 49mm ID
8106041	HD-25K 365nm UV transilluminator, 100-240V, 50-60Hz 25 x 25cm filter size in lieu of standard MD-25K, factory install
8106042	MD-25KD 302/365nm UV transilluminator, 100-240V, 50-60Hz, 25 x 25cm filter size in lieu of standard MD-25K, factory install
8106211	Wi-Fi module, factory install
8106221	Gel excision side hole, factory install



Wealtec Corp.
1885 Meadowvale Way,
Sparks, NV 89431, USA
Tel: +1-775-351-2066 Fax: +1-775-351-2077

Wealtec Bioscience Co., Ltd.
27F., No.29-1, Sec. 2, Zhongzheng E. Rd., Danshui Dist.,
New Taipei City 251, Taiwan
Tel: +886-2-8809-8587 Fax: +886-2-8809-8589

